

Contenido sacado de: <http://www.liquidweb.com/kb/how-to-install-and-configure-snmp-on-centos/>

Introduction

SNMP, or Simple Network Management Protocol, is widely used to communicate with and monitor network devices, servers, and more, all via IP. In this case, we'll be installing an SNMP agent on a CentOS 6.5 server, which will allow for collection of data from our server, and make the information available to a remote SNMP manager.

Pre-Flight Check

These instructions are intended for installing SNMP and doing a very basic configuration. I'll be working from a Liquid Web Core Managed CentOS 6.5 server, and I'll be logged in as root.

Install SNMP and SNMP Utilities

Installing SNMP and some optional SNMP utilities is as simple as running one command:

```
yum -y install net-snmp net-snmp-utils
```

Add a Basic Configuration for SNMP

Now, let's take the default SNMP configuration file, `/etc/snmp/snmpd.conf` and move it to an alternate location, `/etc/snmp/snmpd.conf.orig`.

```
mv /etc/snmp/snmpd.conf /etc/snmp/snmpd.conf.orig
```

And now we'll create a new `/etc/snmp/snmpd.conf`:

```
vim /etc/snmp/snmpd.conf
```

For a refresher on editing files with vim see: [New User Tutorial: Overview of the Vim Text Editor](#) Insert the following text into the new `/etc/snmp/snmpd.conf`

```
# Map 'idv90we3rnov90wer' community to the 'ConfigUser'
# Map '209ijvfwer0df92jd' community to the 'AllUser'
#       sec.name           source           community
com2sec ConfigUser        default        idv90we3rnov90wer
com2sec AllUser           default        209ijvfwer0df92jd
# Map 'ConfigUser' to 'ConfigGroup' for SNMP Version 2c
# Map 'AllUser' to 'AllGroup' for SNMP Version 2c
#       sec.model          sec.name
group  ConfigGroup        v2c        ConfigUser
group  AllGroup           v2c        AllUser
# Define 'SystemView', which includes everything under .1.3.6.1.2.1.1 (or
.1.3.6.1.2.1.25.1)
```

```
# Define 'AllView', which includes everything under .1
#
view SystemView included .1.3.6.1.2.1.1
view SystemView included .1.3.6.1.2.1.25.1.1
view AllView included .1
# Give 'ConfigGroup' read access to objects in the view 'SystemView'
# Give 'AllGroup' read access to objects in the view 'AllView'
#
write notify
access ConfigGroup "" any noauth exact SystemView none
none
access AllGroup "" any noauth exact AllView none
none
```

The above text is noted with basic information on the function of each configuration line. In short, we're creating two scenarios for polling information from SNMP version 2c.

Note: SNMPv2c contains some security enhancements over SNMPv1 but uses the existing SNMPv1 administration structure, which is "community" based. Areas of improvement include: transport mappings, protocol packet types, and MIB structure elements. In the first scenario: ConfigUser is assigned to ConfigGroup and may only use SNMP security model 2c, ConfigGroup can use the SystemView, SystemView is assigned to two OID sub-trees, and all of this is referenced in an SNMP poll by the secret, and unique community string idv90we3rnov90wer.

In the second scenario: AllUser is assigned to AllGroup and may only use SNMP security model 2c, AllGroup can use the AllView, AllView is assigned to the entire OID tree, and all of this is referenced in an SNMP poll by the secret, and unique community string 209ijvfwere0df92jd.

Important Tip: Be ABSOLUTELY SURE that you choose a unique community string and replace the community strings in the above examples. Keep each secret, and keep each safe. Exit vim, and restart the SNMP service to reload the new configuration file:

```
service snmpd restart
```

Configure SNMP to start when the server boots:

```
chkconfig snmpd on
```

Test the SNMP Configuration

Now let's test the SNMP configuration... try running the following two commands:

```
snmpwalk -v 2c -c idv90we3rnov90wer -O e 127.0.0.1
```

```
snmpwalk -v 2c -c 209ijvfwere0df92jd -O e 127.0.0.1
```

Note: The default port for SNMP is 161 and 162. If you're going to connect to SNMP from a remote server, be sure your server's firewall has the appropriate ports open. The result for your first

command should be about 33 lines, and contain some basic system information. The result for the second command should contain a lot more information about your system, and will likely be thousands of lines.

From:

<https://wiki.merkatu.info/> - **Wiki de merkatu**

Permanent link:

https://wiki.merkatu.info/instalacion_y_configuracion_de_snmp_para_zabbix?rev=1463656807 

Last update: **2017/03/27 17:43**